

Applicant: Ridwan Shabsigh  
Serial No.: 10/658,991  
Filed: September 9, 2003  
Page 2

### **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application pursuant to 37 C.F.R. § 1.121:

### **Listing of Claims**

- 1-8. (Canceled)
9. (Currently Amended) A method for increasing or maintaining the blood supply in the penis of a subject afflicted by vasculogenic erectile dysfunction which method comprises introducing a nucleic acid comprising a gene encoding a vascular endothelial growth factor into a cell of the corpora cavernosa of the subject's penis under conditions permitting the expression of the vascular endothelial growth factor encoded by the introduced nucleic acid in the cell so as to thereby express the vascular endothelial growth factor in the corpora cavernosa so as to thereby increase or maintain the levels of vascular endothelial growth factor and the blood supply in the subject's penis.
10. (Previously Presented) The method of claim 9, wherein the nucleic acid is contained within a vector.
11. (Canceled)
12. (Canceled)
13. (Previously Presented) The method of claim 9, wherein the

vascular endothelial growth factor is VEGF-A 205/206, VEGF-A 188/189, VEGF-A 164/165, VEGF-A 144/145, VEGF-A 120/121, or VEGF-A 110.

14. (Currently Amended) A method for increasing or maintaining the amount of vascular endothelial growth factor in the penis of a subject afflicted by vasculogenic erectile dysfunction which method comprises introducing a nucleic acid comprising a gene encoding a vascular endothelial growth factor into a cell of the corpora cavernosa of the subject's penis under conditions permitting the expression of the vascular endothelial growth factor encoded by the introduced nucleic acid in the cell, so as to thereby express the vascular endothelial growth factor, thereby increasing or maintaining the amount of vascular endothelial growth factor in the penis of the subject.
15. (Previously Presented) The method of claim 14, wherein the nucleic acid is contained within a vector.
16. (Canceled)
17. (Previously Presented) The method of claim 14, wherein the vascular endothelial growth factor is VEGF-A 205/206, VEGF-A 188/189, VEGF-A 164/165, VEGF-A 144/145, VEGF-A 120/121, or VEGF-A 110.
18. (Currently Amended) A method for treating vasculogenic erectile dysfunction in a subject so afflicted which method comprises introducing a nucleic acid comprising a gene encoding a vascular endothelial growth factor into a

Applicant: Ridwan Shabsigh  
Serial No.: 10/658,991  
Filed: September 9, 2003  
Page 4

cell of the corpora cavernosa of the subject's penis so as to express the vascular endothelial growth factor encoded by the introduced nucleic acid in the cell, thereby increasing or maintaining the levels of vascular endothelial growth factor in the corpora cavernosa and thereby treating erectile dysfunction in the subject.

19. (Previously Presented) The method of claim 18, wherein the nucleic acid is contained within a vector.
20. (Canceled)
21. (Previously Presented) The method of claim 18, wherein the vascular endothelial growth factor is VEGF-A 205/206, VEGF-A 188/189, VEGF-A 164/165, VEGF-A 144/145, VEGF-A 120/121, or VEGF-A 110.